

# **Safety Data Sheet**

2-J65 Azure Beads

# Section 1 Chemical Product and Company Identification

#### **1.1 Product identifiers**

Product name: 2-J65 Azure Beads

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Jewelry Injection Wax

#### **1.3 Details of the supplier of the safety data sheet** Freeman Manufacturing & Supply Company 1101 Moore Road, Avon, OH 44011 Telephone (440) 934-1902 www.freemansupply.com

**1.4 Emergency telephone number** CHEMTREC (800) 424-9300

# **Section 2 Hazards Identification**

# 2.1 Classification of the substance or mixture

Not classified according to OSHA 29 CFR 1910.1200 HCS 2.2 GHS Label elements, including precautionary statements No label element(s) required

# 2.3 Hazards not otherwise classified

Molten product can cause serious burns.

#### Section 3 Composition/Information on Ingredients

#### 3.1 Mixture of Substances

Proprietary mixture of synthetic and natural waxes, resin(s), additive(s), and oil soluble dye(s). No components need to be disclosed according to the applicable regulations.

# **Section 4 First Aid Measures**

#### 4.1 Description of first aid measures

The second secon	
Inhalation	Get medical assistance if irritation develops or persists. If breathing is difficult,
	move the person to fresh air. Give artificial respiration if person is not breathing.
Skin contact	For thermal burns, flush or submerge effected area in cold water to dissipate heat.
	Cover with clean bandage material. Do not peel material from skin. Get medical attention.
	For contact at ambient temperatures, wash with soap and water.
Eye contact	Immediately flush with plenty of water for at least 15 minutes.
	If irritation persists, get medical attention immediately, preferably an ophthalmologist.
Ingestion	If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person.
	Do NOT induce vomiting. Consult a physician if necessary.

#### **Section 5 Fire Fighting Measures**

# 5.1 Extinguishing media

Suitable extinguishing media: Water fog, dry chemical, foam, carbon dioxide.

**Unsuitable extinguishing media:** Do not use a solid water stream as it may scatter and spread fire.

# 5.2 Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards:** Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. See Section 10 for possible products of hazardous combustion.

#### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Section 6 Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear appropriate personal protective equipment, see Section 8. **6.2 Environmental precautions** 

#### Should not be released into the environment. Prevent product from entering drains.

#### 6.3 Methods and materials for containment and cleaning up

Do not walk through spilled material. Avoid dust formation. Contain spillage and use clean non-sparking tools to collect material. Shovel spillage into suitable container for disposal.

#### Section 7 Handling and Storage

#### 7.1 Precautions for safe handling

Wear appropriate personal protective equipment, see Section 8. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling. Do not use in areas without adequate ventilation. Avoid breathing fumes. Avoid dust formation. Avoid contact with molten material.

**Specific end use(s):** Avoid heating above 100°C (212°F) during the normal investment casting process (except dewax operations). Do not let molten product stand in melt tanks and injection machines, stir product continuously.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store at ambient temperatures. Keep in closed container when not in use. Keep away from ignition sources, heat, open flames, and direct sunlight. Do not store with incompatible materials, see Section 10.

#### Section 8 Exposure Controls/Personal Protection

#### **8.1 Control parameters**

Substance Name	Exposure Limit / Standard	Source
Wax fumes	2 mg/m <sup>3</sup> TWA	ACGIH

#### **8.2 Exposure controls**

#### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation may be needed in special circumstances, such as poorly ventilated spaces, very hot processing, mechanical generation of dusts, etc.

# 8.3 Personal protective equipment

# Eye/Face

Wear safety glasses equipped with side shields, or safety goggles.

#### Hands

Chemical protective gloves should not be needed when handling this material. Use gloves to protect from mechanical injury. Use gloves with insulation for thermal protection when needed.

# Skin/Body

No precautions other than clean body-covering clothing should be needed.

#### Respiratory

The need for respiratory protection is not anticipated under normal use conditions and with adequate ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated, or when adverse effects such as respiratory irritation has been experienced, or where indicated by your risk assessment process, then use an approved air-purifying respirator. Use an approved air-purifying respirator with organic vapor cartridge and particulate pre-filter when vapors are generated at increased temperatures. **Safety Stations** 

Make emergency eyewash stations and washing facilities available in work area.

#### **General Hygienic Practices**

Wash thoroughly after handling, and before eating, drinking or smoking. Remove contaminated clothing promptly and clean thoroughly before reuse. Avoid contamination of food, beverages, or smoking

# 2-J65 Azure Beads

Section 9 Physical and Chemical Properties				
9.1 Information on basic physical and chemical	nronartias			
Physical State	Solid			
Color	Blue			
Odor	Mild			
Odor Threshold	No data available			
pH Malting Daint	No data available			
Melting Point	>155°F (>68°C)			
VOC Content				
Boiling Point	No data available			
Flash Point	465°F (240°C)			
Evaporation rate	No data available			
Flammability (solid, gas)	No data available			
Upper/lower flammability	No data available			
Vapor Pressure	No data available			
Vapor Density	No data available			
Relative Density (g/cc)	$0.9 \pm 0.05$			
Water Solubility	Negligible			
Coefficient: n-octanol/ water	No data available			
Auto-Ignition Temperature	No data available			
Viscosity	Solid at room temperature			
Explosive Properties	None			
Oxidizing Properties	None			
Section	10 Stability and Reactivity			
10.1 Reactivity:	No dangerous reaction known under conditions of normal use.			
10.2 Chemical stability:	Stable under recommended storage conditions.			
10.3 Possibility of hazardous reactions:	Hazardous polymerization does not occur.			
10.4 Conditions to avoid:	Heat, sparks, open flame. Avoid dust formation.			
10.5 Incompatible materials:	Strong oxidizing agents.			
10.6 Hazardous decomposition products	May include: carbon monoxide, carbon dioxide			
Section 1				
Section 1	1 Toxicological Information			
	1 Toxicological Information eye contact, skin contact, ingestion			
11.1 Information on likely routes of exposure:	eye contact, skin contact, ingestion			
	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated			
11.1 Information on likely routes of exposure: Acute Oral Toxicity	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption.			
11.1 Information on likely routes of exposure: Acute Oral Toxicity	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation.			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC, NTP, or OSHA.			
11.1 Information on likely routes of exposure: Acute Oral Toxicity Acute Dermal Toxicity Acute Inhalation Toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity	eye contact, skin contact, ingestion Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. No adverse effects anticipated from skin absorption. Vapors released during thermal processing may cause respiratory irritation. Classification criteria not met Classification criteria not met Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated			

# 2-J65 Azure Beads

Section 11 Tox	kicological Information continued
Specific Target Organ Toxicity (STOT) Single Exposure Repeated Exposure	Not expected No data available
Section	12 Ecological Information
<ul> <li>12.1 Toxicity</li> <li>12.2 Persistence and degradability</li> <li>12.3 Bioaccumulative potential</li> <li>12.4 Mobility in soil</li> <li>12.5 Results of PBT &amp; vPvB assessment</li> </ul>	Not expected to be harmful to aquatic organisms No data available No data available No data available No data available
Section	13 Disposal Considerations
13.1 Disposal	Follow applicable Federal, State, and local regulations.
Section	14 Transport Information
14.1 DOT, TDG, IMO/IMDG, IATA/ICOA:	Not regulated
Section	15 Regulatory Information
SARA 311/312 Hazards Classifications: SARA 313 Components: This material do that exceed the threshold (De Minimis) rep RCRA: In the form delivered, this product reporting under the Resource Conservatio California Proposition 65: This product is California has found to cause cancer, birth	the following inventories: Canada DSL/NDSL, USA TSCA None bes not contain any chemical components with known CAS numbers porting levels established by SARA Title III, Section 313. is not considered as hazardous waste, and is not subject to on and Recovery Act. is not known to contain any components for which the State of
Sectio	on 16 Other Information
EXPRESSED OR IMPLIED, INCLUDING ANY PARTICULAR PURPOSE. No statements he patent. Under no circumstances shall Selle alleged negligence, breach of warranty, str sole remedy and Seller's sole liability for a based on controlled lab work and must be The product(s) has not been tested for, and	ents. SELLER MAKES NO REPRESENTATION OR WARRANTY, Y WARRANTY OF MERCHANTABILITY OR FITNESS FOR A erein are to be construed as inducements to infringe any relevant er be liable for incidental, consequential or indirect damages for rict of liability arising in connection with the product(s). Buyer's any claims shall be Buyer's purchase price. Data and results are confirmed by Buyer by testing for its intended conditions of use. d is therefore not recommended for, uses for which prolonged d skin, or blood is intended; or for uses for which implantation
······································	