Safety Data Sheet



2-U8 Patch Wax Red - Very Soft

Section 1 Identification

Secti	on 1 Identification	
Product identifiers		
Product name: 2-U8 Patch Wax Red – Very So	oft	
Relevant identified uses of the substance or mixtu		
	extra soft wax for patching, filling, and filleting	
Details of the supplier of the safety data sheet		
Freeman Manufacturing & Supply Company		
1101 Moore Road, Avon, OH 44011		
Telephone (440) 934-1902	24 Hour emergency telephone number:	
contactus@freemansupply.com	CHEMTREC (800) 424-9300	
Section 2	Hazards Identification	
Classification of the substance or mixture		
Not a hazardous substance or mixture.		
GHS Label elements, including precautionary state	ements	
None		
Hazards not otherwise classified (HNOC) or not co	overed by GHS	
None known		
Section 3 Composit	tion/Information on Ingredients	
Proprietary mixture of synthetic waxes, and c	nil solublo dvos	
No ingredients are hazardous according to OS		
No components need to be disclosed as per 2'		
No components need to be disclosed as per 2	76FK Falt 1910.1200.	
Section	4 First Aid Measures	
If inhaled		
Exposure to fumes, vapors or smoke of overh	eated molten product handled in confined areas can result in	
irritation of the respiratory tracts, and possib	le discomfort to sensitive individuals. Move to fresh air. Treat	
symptomatically. Get medical attention if sym	nptoms persist.	
In case of skin contact		
	Cool affected areas with running water to remove heat. In general,	
	necessary to cut through material surrounding a limb to prevent a	
tourniquet effect. Seek medical attention urge	ently.	
In case of eye contact		
Exposure to fumes, vapors or smoke of overheated product can result in irritation to eyes. Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medi		
•		
	rial contacts the eye, immediately flush with plenty of running	
immediately.	open. Do not remove adhering material. Seek medical attention	
If swallowed		
Do not induce vomiting. Seek medical attention	on	
Most important symptoms and effects, both acute		
	le material will come off as healing occurs; therefore, immediate	
removal from skin is not necessary	is material win come on as nearing occurs, therefore, inflictiate	
Indication of any immediate medical attention an	d special treatment needed	
	ause severe burns to skin and eyes. Treatment: Treat	
Hazards: Contact with molten product may ca symptomatically.		





2-U8 Patch Wax Red - Very Soft

Section 5 Fire-Fighting Measures

 Extinguishing media Suitable extinguishing media: Water mist, foam, dry chemical or carbon dioxide Unsuitable extinguishing media: Solid water stream may scatter and spread fire Special hazards arising from the substance or mixture Molten material can create slippery conditions. In case of fire hazardous decomposition products may be produced such as: Carbon dioxide, carbon monoxide and complex hydrocarbons. As with most solid organic compounds, a high dust concentration of this product may form an explosive atmosphere, subject to ignition by heat and static discharge. This is an unlikely scenario, but users should be aware of the risk.
Advice for firefighters In the event of fire do not breathe fumes. Wear self-contained breathing apparatus and protective suit.
Section 6 Accidental Release Measures
 Personal precautions, protective equipment and emergency procedures Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8. Environmental precautions Should not be released into the environment. Do not let product enter drains. Methods and materials for containment and cleaning up Sweep up and shovel. Keep in suitable, closed containers for disposal.
Section 7 Handling and Storage
 Precautions for safe handling Use normal precautions when handling hot molten liquid solutions. Do not breathe fumes or vapor from heated material. Do not allow hot material to contact skin. Provide appropriate exhaust ventilation at places where dust is formed. Avoid creating dust (dust is unlikely). Conditions for safe storage, including any incompatibilities Keep product closed in its original packaging until used. Keep dry; avoid temperature extremes (5- 30°C / 41- 86°F) and direct sunlight. Keep away from sources of ignition, oxidizing agents and other chemicals. Specific end use(s) Avoid heating above 100°C (212°F) during the normal process (except dewax operations).
Section 8 Exposure Controls/Personal Protection
Control parameters Components with workplace control parameters Wax Fume ACGIH STEL: 2 mg/m ³ NIOSH TWA: 2 mg/m ³ Exposure controls Appropriate engineering controls Good general ventilation should be used. If applicable, use local exhaust ventilation or other engineering controls to maintain airborne levels of dust (solid product), fume or vapor (molten product) below recommended exposure limits. Personal Protective Equipment (PPE) Eye/face protection Use a full-face shield and safety glasses if handling heated material. With product at ambient temperatures, use safety glasses equipped with side shields. Skin protection When handling product at elevated temperatures, use heat-resistant gloves. Prevent skin contact when handling heated material. With product at ambient temperatures, use disposable gloves with repeated or prolonged use.

Safety Data Sheet



2-U8 Patch Wax Red - Very Soft

Section 8 Exposure Controls/Personal Protection continued

Respiratory Protection

The need for respiratory protection is not anticipated under normal use conditions and with adequate ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated, a NIOSH-approved organic vapor respirator equipped with a dust/mist prefilter should be used.

Safety Stations

Make emergency eyewash stations, and washing facilities available in work area.

General Hygienic Practices

Avoid breathing vapor. Wash thoroughly after handling, and before eating, drinking or smoking. Remove contaminated clothing promptly and clean before reuse.

Section 9 Physical and Chemical Properties

Appearance	Red waxy soft solid	Vapor pressure	No data available
Odor	Mild	Vapor density	No data available
Odor Threshold	No data available	Relative density (g/cc)	0.9 ±0.05
рН	No data available	Water solubility	Insoluble
Melting point	Approx. 168°F (75°C)	Coefficient: n-octanol/ water	No data available
Initial boiling point	No data available	Auto-ignition temperature	No data available
Flash point	>365°F (>185°C)	Viscosity	No data available
Evaporation rate	No data available	Explosive Properties	None
Flammability (solid, gas)	No data available	Oxidizing Properties	None
Upper/lower flammability	No data available	% Volatile	0

Reactivity	None
Chemical stability	Stable under recommended storage conditions
Possibility of hazardous reactions	None known
Conditions to avoid	Product is organic and will be subject to surface oxidation.
	Avoid holding the product in the molten state when not in use.
	Excessive thermal exposure will degrade the product.
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

Section 11 Toxicological Information

50000		
Acute toxicity	No data available	
Inhalation	Wax fumes may be irritating to the respiratory tract,	
Dermal	Molten product will cause thermal burns on contact	
Skin corrosion/irritation	No data available	
Serious eye damage/eye irritation	n Molten product will cause thermal burns on contact	
Respiratory or skin sensitization	No data available	
Germ cell mutagenicity	No data available	
Carcinogenicity	No component of this product present at levels greater	
	than or equal to 0.1% is identified as probable, possible	
	or confirmed human carcinogen.	
Reproductive toxicity	No data available	
Specific Target Organ Toxicity (STOT)		
- single exposure	No data available	
- repeated exposure	No data available	
Aspiration hazard	No data available	
•		



Section 12 Ecological Information

Toxicity Persistence and degradability Bioaccumulative potential Mobility in soil Results of PBT & vPvB assessm	No data available No data available
insoluble in water and should no should, however, ensure that it i released to the environment. Sp	on has been determined for this product. However, the product is ot pose a serious threat to the environment. Users of the product is stored, handled and disposed of in such a manner that it is not ent material from the flash fire furnace or autoclave must therefore o prevent environmental contamination, either by solid product or
	Section 13 Disposal Considerations
Disposal	Follow applicable Federal, State, and local regulations.
	Section 14 Transport Information
DOT, TDG. IMDG, IATA	Not Regulated
	Section 15 Regulatory Information
SARA 311/312 Codes: No haza SARA 313: No components were TSCA Inventory Status: All cor States Environmental Protection California Proposition 65: This produce	
	Section 16 Other Information
EXPRESSED OR IMPLIED, INCLU PARTICULAR PURPOSE. No stat patent. Under no circumstances alleged negligence, breach of wa sole remedy and Seller's sole lia based on controlled lab work an The product(s) has not been tes	's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, JDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A tements herein are to be construed as inducements to infringe any relevant s shall Seller be liable for incidental, consequential or indirect damages for arranty, strict of liability arising in connection with the product(s). Buyer's bility for any claims shall be Buyer's purchase price. Data and results are ad must be confirmed by Buyer by testing for its intended conditions of use. ted for, and is therefore not recommended for, uses for which prolonged es, abraded skin, or blood is intended; or for uses for which implantation ded.
Date of Issue: August 26, 2020	

Date of Issue: August 26, 2020 Revision Date: August 15, 2022